

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

UK Patent Application GB 2 254 358 A

(43) Date of A publication 07.10.1992

(21) Application No 9107188.6

(22) Date of filing 05.04.1991

(71) Applicant

Geoffrey James Jones
Glen Eldon, Brighton Road, Medstead, Alton,
Hampshire, GU34 5NA, United Kingdom

(72) Inventor

Geoffrey James Jones

(74) Agent and/or Address for Service

Geoffrey James Jones
Glen Eldon, Brighton Road, Medstead, Alton,
Hampshire, GU34 5NA, United Kingdom

(51) INT CL⁵

E06B 3/24

(52) UK CL (Edition K)

E1R R26C3B1
E1J JCX

(56) Documents cited

GB 1452927 A GB 1398434 A GB 1315139 A
GB 1141281 A GB 0950979 A GB 0868315 A
GB 0739428 A

(58) Field of search

UK CL (Edition K) E1J JCX, E1R
INT CL⁵ E06B 3/24


(54) Double glazed units

(57) Double glazed units are used to improve the insulation and acoustic properties of windows, doors and glazed panels used in domestic, commercial and leisure applications.

The glazing sheets a (either glass or plastic) are located and secured directly into the frame b. Thereby eliminating the necessity for separate sealed units as is current practice.

The sheets are located within an outer frame and sealed to produce a rigid air tight double glazed unit.

These double glazed units are fitted into conventional timber, metal or plastic outer frames using traditional hinged and/or rigid securing methods.




GB 2 254 358 A

5-1186-10

1/1

FIGURE 1.



- 1 -

DOUBLE GLAZED UNITS

This invention relates to double glazed units.

Double glazed units are currently manufactured and supplied as 'sealed units' for installation within the framework of windows, doors and panels for use in domestic, commercial and leisure applications.

Present technology and common practice is that two sheets of glass are assembled onto a spacer bar forming a sandwich. this assembly is then sealed around the outer edge to form a 'sealed unit'. Sealed units are then fitted within frames of timber, metal or plastic.

It is proposed that two or more sheets of glass be fitted directly within the frame without the necessity of constructing separate sealed units. These frames will be timber, metal, plastic or a combination of each. The glass will be sealed into the frame using either liquid or solid sealing compounds or materials. The frame will be secured at the corners using either fusion, mechanical or adhesion joints or a combination of each.

Figure 1, shows a cross section of a typical frame with the glass in position.

Referring to figure 1,

Item a, depicts the glass forming the double glazing.

Item b. depicts the frame, this framework can be timber, metal, plastic or a combination of each. On metal framed windows the area between the glass can be a non conducting material to act as both a spacer and thermal barrier.

Item c. (optional) depicts a cavity open to the gap between the glass and containing silica gel or a similar moisture absorbant material.

CLAIMS

1. A glazing system where the translucent sheets (normally glass) forming two or more spaced sheets are glazed directly into the outer frame.
2. The glazing system can be incorporated into a timber frame.
3. The glazing system can be incorporated into a metal frame.
4. The glazing system can be incorporated into a plastic frame.
5. The glazing system can be incorporated into a composite timber, metal and/or plastic frame.
6. The double glazed units as claimed in claim 1, is suitable for primary new build installations.
7. The double glazed units as claimed in claim 1, is suitable for the replacement of existing systems.
8. The double glazed units as claimed in claim 1, is suitable for use in windows, doors and panels used in domestic, commercial and leisure applications.
9. The double glazed units as claimed in claim 1, allow the panels to be fitted directly into the frame without the necessity of constructing a separate sealed unit as is current practice.
10. The sheets can be sealed into the frame using either liquid or solid sealing compounds or materials.
11. The area between the panels can be open to silica gel or a similar moisture absorbant material.
12. The frame is secured at the corners using fusion, mechanical or adhesion joints or a combination of each.

Patents Act 1977
Examiner's report to the Comptroller under
Section 17 (The Search Report)

Application number
9107188.6

Relevant Technical fields

(i) UK CI (Edition K) E1J (JCX); E1R

(ii) Int CI (Edition 5) E06B 3/24

Search Examiner

Bruce Westerman

Databases (see over)

(i) UK Patent Office

(ii)

Date of Search

28 May 1991

Documents considered relevant following a search in respect of claims

1-12 (but see letter enclosed)

Category (see over)	Identity of document and relevant passages	Relevant to claim(s)
X	GB 1452927 (LONDON BOROUGH OF HOUSLOW) - whole document	1,3, 6-10
X	GB 1398434 (GLAVERBEL) - see particularly page 1 lines 15-57	1,3-12
X	GB 1315139 (HANSSON) - whole document	1,3, 6-9
X	GB 1141281 (RUSSELL) - whole document	1-3, 5-10
X	GB 950979 (AUSTER) - see particularly page 1 lines 54-59	1,3, 5-10
X	GB 868315 (SCHAD) - whole document	1,2,4, 6-12
X	GB 739428 (PERSSON) - whole document	1-3, 5-10,12

Category	Identity of document and relevant passages	Relevant to claim(s)

Categories of documents

X: Document indicating lack of novelty or of inventive step.

Y: Document indicating lack of inventive step if combined with one or more other documents of the same category.

A: Document indicating technological background and/or state of the art.

P: Document published on or after the declared priority date but before the filing date of the present application.

E: Patent document published on or after, but with priority date earlier than, the filing date of the present application.

&: Member of the same patent family, corresponding document.

Databases: The UK Patent Office database comprises classified collections of GB, EP, WO and US patent specifications as outlined periodically in the Official Journal (Patents). The on-line databases considered for search are also listed periodically in the Official Journal (Patents).